

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2004 (06.05.2004)

PCT

(10) International Publication Number
WO 2004/038564 A2

(51) International Patent Classification⁷:

G06F

(84) Designated States (*regional*): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(21) International Application Number:

PCT/US2003/034021

(22) International Filing Date: 24 October 2003 (24.10.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/421,274

25 October 2002 (25.10.2002) US

(71) Applicant and

(72) Inventor: ANDERSEN, Richard, Park [US/US]; 2204 Gunar Drive, San Jose, CA 95124 (US).

(74) Agent: JEW, Leon, E.; The schinner Law Group, 96 Jessie Street, San Francisco, CA 94105 (US).

(81) Designated States (*national*): AU, CA, JP, US.

Declarations under Rule 4.17:


- as to the identity of the inventor (Rule 4.17(i)) for the following designations AU, CA, JP, European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR)
- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- of inventorship (Rule 4.17(iv)) for US only

Published:

- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: OWNER-BROKERED KNOWLEDGE SHARING MACHINE



(57) Abstract: The invention discloses a system and method for promoting information or knowledge sharing among users registered to a computer network by allowing an information knowledge owner to locate or directly access private information, to publish information for direct access by knowledge requestors, or to broker information or knowledge with an information or knowledge requestor. This invention also discloses a system and method which allow an organization to develop and manage a reward system based on the frequency of an information or knowledge owner's contribution to information or knowledge sharing and the frequency of an information or knowledge requestor's use of shared knowledge.

OWNER-BROKERED KNOWLEDGE SHARING MACHINE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to the U.S. provisional patent application Serial no. 60/421,274 filed on October 25, 2002.

5

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention generally relates to information sharing and management technology. More particularly, the invention relates to a system and method for promoting information or knowledge sharing among users registered to a computer network by allowing an information or knowledge owner to locate or directly access private information, to publish information for direct access by information or knowledge requestors, or to broker information or knowledge with an information or knowledge requestor. This invention also relates to a system and method which allow an organization to develop and manage a reward system based on the frequency of an information or knowledge owner's contribution to information or knowledge sharing and the frequency of an information or knowledge requestor's use of shared knowledge.

2. Related Art

A statement as to the general structure of knowledge sharing and management systems can summarize the problem with such systems today. These systems are generally designed to "manage" knowledge rather than dynamically share it. As such, these systems are often called "knowledge management systems" and are built to manage a body of information that is collected from individuals within a group or organization. In most cases, the group or organization has some shared domain of responsibility or expertise. The management of the knowledge

is generally focused around the central body of information. Software and business processes have been designed to facilitate the posting of information or knowledge objects in digital format to and retrieval from the central body of information, or central knowledge repository. Both the posting and retrieval of information have benefited by the association of descriptive contextual information, or meta-data, about the data stored in such a system. In addition, the security of and appropriate access to the information have benefited from software and business practices designed to manage rules, roles, and access privileges. The use of Internet technologies has enhanced the share-ability of digitized knowledge by collapsing barriers of time and geography.

The premise that brought about these types of centralized knowledge management systems is that some people are knowledge creators (or "knowledge leaders" or "knowledge owners" or "expertise providers") and have information that would be useful one or more times to other potential users ("knowledge seekers" or "knowledge requestors") of the information who could be granted access to the information. I call this the "big bucket approach". As illustrated in FIG. 1A, the big bucket approach assumes that users who voluntarily contribute their knowledge or information content to the big bucket can also retrieve information from the bucket. Essentially, information is obtained either directly or indirectly from the knowledge creators and stored in the central knowledge repository for the knowledge seekers to locate and utilize in the ordinary course of creating work products. The primary objectives for these systems are to have the most relevant and most current information available at all times. A variety of incentive compensation systems have been incorporated along with this approach to encourage the ongoing and continuous population and maintenance of the knowledge repository so that the big bucket is full of imminently locatable, useful information.

Systems utilizing the population and updating of the information en mass ("top down") from central sources such as file servers, Web pages, etc. or individually

by capturing data at the point of origination or utilization ("bottom up"), such as within email systems or in local end-user computer files have been designed.

Similar to the Marxist-Leninist social system, which did not work, big bucket information communism doesn't work well either. The problem with systems
5 employing the big bucket approach is that they do not effectively take into account the human bias not to share information outside of the context of a trust-based relationship. The reality with such systems, as illustrated in FIG. 1B, is that the central bucket is empty relative to the actual digital information that is maintained or possessed directly by the knowledge creators. Extending the
10 bucket metaphor, one can say that the reality is that the distributed individual buckets populated and maintained by individual knowledge owners is where the bulk of actual knowledge desired for a sharing system resides.

What is desired is a multi-domain framework that takes into account, facilitates, and maximizes the access and sharing of knowledge within the context of a trust-
15 based relationship.

What is further desired is an incentive mechanism incorporated with the multi-domain framework to encourage the users to share their work products or other knowledge objects in their possession.

What is further desired is a security mechanism incorporated with the multi-
20 domain framework to ensure privacy and to promote knowledge access and sharing within the context of a trust-based relationship.

What is further desired is an instant message platform incorporated with the multi-domain framework to enable a knowledge owner to provide a knowledge requestor with advice, comments, and substitution of requested resource in a
25 real time manner.

SUMMARY OF THE INVENTION

According to the present invention, a multi-domain framework for promoting the sharing of knowledge within a group or organization is provided which overcomes the problems of prior art methods discussed above. The invention encourages
5 knowledge discovery and sharing by creating a system that allows knowledge owners to easily search their own private repositories of information, to publish information for direct access by knowledge seekers or requestors, or to broker information with knowledge seekers or requestors.

The system for sharing knowledge objects among the registered users of the
10 computer network includes a central knowledge repository and a number of distributed knowledge repositories, each of which is associated with a specific user.

The central knowledge object repository is used for maintaining and updating a collection of published knowledge objects contributed by the users. Any of the
15 users can access any of the published knowledge objects directly by entering a unique user identification, so long as appropriate access privileges have been granted.

The central knowledge object repository is also used for maintaining and updating a collection of listed knowledge objects contributed by the users. Any of
20 the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

The collection of listed knowledge objects includes all the listed knowledge
25 objects that exist in all the distributed knowledge repositories.

In the preferred embodiment, the system also includes a mechanism to reward both knowledge-owners and knowledge-requestors for sharing information. This mechanism effectively and for the first time aligns organizational incentives for promoting the sharing and re-use of knowledge with the desire of individuals, based on human nature to manage their digitized personal knowledge closely and to share it within the context of a trust-based relationship.

This invention has numerous real-world applications across industries and organizational structures, and can essentially be used any time people can benefit from sharing knowledge. These include but are not limited to collaboration in the following industries and organizational structures:

- general business (e.g. email-based, owner-brokered document, contact, and file sharing);
- manufacturing (e.g. collaborative design across any distance or spanning companies);
- software development (e.g. source code sharing, testing, bug tracking, information security);
- scientific research (e.g. research methods or results sharing);
- academic learning (e.g. course material publishing, research results sharing, distance learning);
- military (e.g. intelligence gathering, anti-espionage);
- financial (e.g. research publishing, research data gathering);
- medical (e.g. clinical trials, patient record/clinical case sharing); and

- community (e.g. contact sharing amongst groups, photo-sharing).

The foregoing has outlined rather broadly, the more pertinent and important features of the present invention. The detailed description of the invention that follows is offered so that the present contribution to the art can be more fully appreciated.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more succinct understanding of the nature and objects of the present invention, reference should be directed to the following detailed description taken in connection with the accompanying drawings in which:

FIG. 1A and FIG. 1B are schematic diagrams illustrating the prior art approaches;

FIG. 2A and FIG. 2B are schematic diagrams illustrating the solution according to the present invention;

FIG. 3 is a schematic diagram illustrating a network equipped with a knowledge sharing system according to the invention;

FIG. 4 is a block diagram illustrating a local computer environment wherein the knowledge sharing system according to the invention operates;

FIG. 5 is a schematic block diagram illustrating a system for owner-brokered knowledge sharing according to the preferred embodiment of the invention; and

FIG. 6 is a schematic diagram illustrating the relationship between the domain of listed (identifiable but unpublished) knowledge objects and the domain of the published knowledge objects;

FIG. 7 is a flow diagram illustrating a process for accessing published knowledge objects;

FIG. 8 is a flow diagram illustrating a process for owner-brokered knowledge sharing;

5 FIGs. 9-11 are flow diagrams illustrating a multi-domain process for sharing knowledge objects among the users of a computer network; and

FIGs. 12-17 are flow diagrams illustrating a variant process comprising a comprehensive, multi-domain system for sharing knowledge objects and tracking utilization among the users of a computer network.

10 DESCRIPTION OF THE PREFERRED EMBODIMENTS

With reference to the drawings, the present invention will now be described in detail with regard for the best mode and the preferred embodiments. In its most general form, the present invention comprises a program storage medium
15 readable by a computer, tangibly embodying a program of instructions executable by the computer to perform the steps necessary to provide a framework, as it is schematically illustrated in FIG. 2A and FIG. 2B, in which knowledge creators can broker information with knowledge seekers and both the knowledge creators and the knowledge seekers can be rewarded for sharing information.

20 FIG. 3 is a schematic diagram illustrating a network including at least two users who constitute a networked community in which a user can be either a knowledge owner (KO) or a knowledge requestor (KR). A user, such as user 120, communicates with other users, such as user 150, using a software application that supports a graphical interface 110. A server 160 provides the knowledge
25 sharing service over the network 140 such as LAN, WAN or the Internet.

The local computer environment wherein the preferred embodiment of this invention operates, as it is illustrated in FIG. 4, includes a computer platform 121, which includes a hardware unit 122 and an operating system 123. The hardware unit 122 includes at least one central processing unit (CPU) 124, a read only random access memory (usually called ROM) 125 for storing application programs, a write/read random access memory (usually called RAM) 126 available for the application programs' operations, and an input/output (IO) interface 127. Various peripheral components are connected to the computer platform 121, such as a data storage device 128, a terminal 129 and a network connection interface 131 such as Ethernet or Fiber Distributed Data Interface (FDDI). The user uses a browser 131 or a similar application to log on the network. The knowledge sharing application 130, which supports the graphical user interface 110 in FIG. 3, runs on the computer platform 121. Those skilled in the art will readily understand that the invention may be implemented within other systems without fundamental changes.

FIG. 5 is a block diagram illustrating a system 200 for owner-brokered knowledge sharing according to the preferred embodiment of the invention. The system includes at least one knowledge requestor (KR) 120 who initiates a request for information at any time and at least one knowledge owner (KO) 150 who is able to provide information in the form of knowledge objects that are of interest to any KR 120. There is at least one knowledge object 261 associated with each KO 150, which is a unit of analog, digital or digitized information or work product created in the ordinary course of business activity by the KO 150. Both the knowledge owner 150 and the knowledge KR 120 have a distributed knowledge object repository (DKOR), such as DKOR 220 or DKOR 260, which is an individual or personal or private knowledge object repository that stores electronic files, emails, contacts, or other knowledge objects. The distributed knowledge object repository is user-specific. One user cannot access another's knowledge object repository, however, the content in each user's knowledge

object repository is searchable or indexable by a non-human agent such as a software application running on the system.

The system 200 also includes a central knowledge object repository (CKOR) 202, which is a central body of digital information which can be deployed as a software application run on the server 160 (see FIG. 3) or stored in a database or managed through peer-to-peer technology to appear as a central body of information to the users of the system. In the preferred embodiment, the central knowledge object repository (CKOR) 202 is part of the knowledge sharing application, called knowledge sharing machine (KSM) 201.

KSM 201 runs on the server 160 in FIG. 3 or through the virtual combination of connected machines using peer-to-peer technology to appear as a central body of information to the users of the system, and includes the user interface 110, shown in FIG. 3, through which users access information. The KSM 201 manages both the CKOR 202 and the DKORs 220 and 260. A unique characteristic of the KSM 201 is that it maintains the continually updated and current directory or index of the contents of the CKOR 202 and the DKORs 220 and 260, which can be described as the collective body of information. The KSM 201, through its various modules and interfaces, facilitates access to and management of knowledge objects based on the type, classification, or domain of information that is stored.

The system 200 comprises the entirety of the system, including the human and system supported processes defined, as well as the operational, administrative, measuring, rewards tracking, and reporting software components managed by the KSM 201.

FIG. 6 is a schematic diagram illustrating the categorization of the knowledge flowing in the system of FIG. 5. The knowledge is classified "listed" 301 and "published" 302. "Listed" information 301 in this application is defined as knowledge objects (such as documents, emails, contacts, etc.) that are indexed

at either the meta-data or full-text level from within DKORs 220/260. In particular, a listed knowledge object means a knowledge object that is listed in, and known to, the KSM 201 but which has not yet been published to all users of the system. The knowledge objects are owned, or created and updated in the ordinary course of business communications by the KO 150 but they have not been published or approved by the KO 150 for direct access through the KSM 201. Access to listed information 301 is managed through a knowledge brokering process which requires the consent of the KO 150 before knowledge objects visible to the KSM 201 from within the DKOR 260 will be made available for evaluation of or delivery to the KR 120.

"Published knowledge" 302 is defined as information that has been authorized by the KO 150 for direct access through the KSM 201 after either passing through the knowledge brokerage process at all or through direct submission by the KO 150 to the CKOR 202. Published information can be shared on a subscription basis so that subsequent revisions and updates to the information can be automatically delivered to the knowledge KR 120 in the future.

The Correlation Index ("CI"), which is used in the system, is a comparison means to indicate the degree of correlation between a request and a knowledge object as represented by the objects data or the data about the object (meta-data). In the case of published information 302, the correlation can be as high as 100% because the information is available to the knowledge requestor 120 directly from the CKOR 202 without human broker interaction. In the case of listed information 301, because the CKOR 202 is a system and not a person, the KSM 201 can identify a very high CI between the request and the result but will not show a 100% correlation. The KO 150, which is the human broker of listed information 301, must be the ultimate determinant of correlation.

The system 200 also includes a comparison measure, referred to as a Relationship Index ("RI"), which is a measure of the strength of a relationship as defined by aggregate interactions (phone, email, meetings) between one person

and another. This can be applied to data that is sought by a KR 120. For example, contact data for a sales prospect may reside in more than one DKOR and the KR 120 may want to identify the person within the organization with the strongest relationship with the prospect, in order to obtain the most complete understanding of the prospect's interaction history the organization. This can also be applied to the trust-based relationship that can develop within the KSM 201 between a KR 120 and a KO 150 by measuring searches and approved retrievals of information over time.

The system 200 also includes a knowledge sharing reward tracking module, which is used to track the number of requests for, and the subsequent delivery of, listed or published information from the KO 150 to the KR 120 through the knowledge brokering process or through the automated publishing process. In particular, the tracking module may be configured to track: the number of times that a user discloses a private knowledge object from his private domain to the domain of listed but unpublished knowledge objects; the number of times that a user authorizes other users' access to an unpublished knowledge object; the number of times that a user publishes a knowledge object, either from his private domain or from the unpublished domain, to the published domain; the number of times that a published knowledge object is used by the users other than the user who contributed the published knowledge object; and the number of times that a user requests and uses the knowledge objects originated from other users. The tracked information will be used within a compensation system to reward users, such as employees, for sharing knowledge.

FIG. 7 is a flow diagram illustrating a process for accessing published knowledge objects according to the preferred embodiment. The method includes, but is not limited to, the following human or system supported steps:

Step 51: A knowledge requestor (KR) initiates a search request for information, which could be an outline, a brief, a sample letter, a report, an email,

or even a person's contact information including a history of interactions with a contact.

Step 52: Upon receipt of the request, the knowledge sharing machine (KSM) compares the request against the information stored in the CKOR and the
5 DKORs.

Step 53: The KSM returns a set of relevant results, which is one or more results that are correlated with the request, to the KR in a ranked form showing the highest level of correlation between the request and the result set, including both published and listed information (knowledge objects). In the preferred
10 embodiment, a correlation ranking indicator is associated with each returned result so that the user can identify the most relevant result conveniently and accurately.

Step 54: The KR evaluates the result set and determines if any information returned by the KSM is in the published domain.

15 Step 55: IF the KR decides to obtain the published information, THEN the KR can access the information directly from the CKOR through the KSM so long as the person has appropriate access privileges (departmental, title/ role/ responsibility, etc.).

Step 56: ELSE IF a piece of listed information is sought by the KR, THEN
20 the KR must access the information from the KO through the knowledge brokering process as illustrated in FIG. 8.

FIG. 8 is a flow diagram illustrating a knowledge brokering process, which comprises the steps of:

Step 61: Via the software user interface, the KR instructs the KSM to send
25 the request along with the associated (by the KSM) individual knowledge object

result or results from the result set to the KO. The request includes the statement that the KR is looking for a knowledge object from the domain of the listed information and that the KSM has determined that a knowledge object in the KO's DKOR has a specified correlation or likelihood of being the information sought. In the preferred embodiment, the request is a message automatically generated by the system in response to the KR's command, such as a single click, to send the request to a KO. Also, in the preferred embodiment, the system can be configured so that a request cannot be forwarded to a KO until the search request is sufficiently specific so that it yields a finite, manageable set of results.

Step 62: The KO receives and evaluates the request and the result set from the KSM.

Step 63: The KO decides whether to share the information or not.

Step 64: IF the KO does not agree to share the information with the KR, THEN the KSM sends the KR a notice stating, for example, "Sorry! Your request cannot be completed". Since the KSM is a machine and does not specify a 100% correlation, the end result and non-delivery of information could be interpreted to mean that the KO simply did not have the information that the KSM thought it did.

Step 65: IF the KO agrees to share the information with the KR, then the KSM delivers the information to the KR over the network.

Step 66: Optionally, the KSM generates a message and delivers it to the KO to ask the KO whether this information is of a nature that should be published so that it will be available to other people with appropriate access privileges through the publishing process.

Step 67: The KO makes a decision on the KSM's prompt message.

Step 68: IF the KO declines to publish, THEN returns the KSM with a "NO" message and the information is not published. In other words, although the KO agrees to share it with this specific KR in this specific time, the KO still wants to maintain his privilege to decline the next KR's request.

- 5 Step 69: IF the KO agrees to publish, THEN returns the KSM with a "YES" message and the KSM publishes the information in the published domain.

In all cases where the knowledge sharing reward tracking module 70 is enabled, the KSM tracks the number of requests for and subsequent delivery of listed or published information from the KO to the KR through the knowledge brokering process or through the automated publishing process. The tracked information
10 will be used within a compensation system to reward members of the system for sharing knowledge.

Note that the comparison matching for data about items, events, or ideas (Correlation Index) and the comparison matching for people or contacts
15 (Relationship Index) use the best available techniques such as context-based matching, neural networks, Bayesian classification, linear and non-linear classification, keyword matching, etc.

In the event that KO wants to remain anonymous, he can simply set the option by selecting from a dropdown list or clicking an icon.

- 20 FIGs. 9-11 are flow diagrams illustrating a multi-domain process for a user using the KSM system described above. Assuming the user has configured the KSM to index all of his local files, e-mails and contacts on his computer, the process includes the following steps:

Step 81: Initiate a search. In order to complete a task, the user who is
25 associated with the network initiates a search for information in a local client application interface of the KSM system by specifying and entering a keyword

search criteria or a more advanced single field/value or multi-filed/values search criteria.

The graphical user interface of the KSM provides a number of search options, each of which is represented by a virtual button or other kind of icon. For example, the user may select "local domain search", "published domain search",
5 "brokered domain search", or "search entire domains".

Step 82: If the local domain is specified, search the local domain.

For each user of the system, the local domain includes the user's digital information objects in the form of files, emails, contact records, and other digital
10 representation of information, whether on a local machine or elsewhere on the network. The user has direct access to search the information through the system using core operating system directory structures and file-by-file contents search or through the system using a data index or meta-data system index representing the information and optimized for efficient searching. Note that the
15 user can specify which digital information objects or collections of objects in the form of directories, connected systems, or other repositories that are searchable.

Step 83: Check whether any object, such as a document, contact or email, matches the search query.

Step 84: If the check result in Step 83 is yes, return to the user a list of
20 matching objects.

Step 85: The user examines the returned results and decides whether or not to further search the published domain or the brokered domain.

Step 86: If the check result in Step 83 is no, prompt the user to revise the query.

Step 87: If the user decides to revise the query, repeat Step 81.

Step 88: If the user does not want to revise the query, prompt the user to further search the published domain or the brokered domain.

Step 89: Search the published domain if the user chooses so and continue on Step 83.

For each user of the system, the published domain includes the collective digital information objects in the form of files, emails, contact records and other digital representations of information, whether on local machines or on the network, which have been made available by the primary holders or originators of the information for direct access by other individual users of the system. Individual users of the system have direct access to search the collective digital information through the system using core operating system directory structures and file-by-file contents search or through the system using a data index or meta-data index representing the information and optimized for efficient searching. Individual users of the system can specify which digital information objects or collections of objects in the form of directories, connected systems or other repositories are searchable and accessible directly by other users of the system. Primary holders of the information can specify access rights and privileges granted to other users.

Step 90: Search the brokered domain if the user chooses so and continue on Step 91 in FIG. 9.

For each user of the system, the brokered domain includes the collective digital information objects in the form of files, emails, contact records and other digital representations of information, whether on local machines or on the network, which have been made available by the primary holders or originators of the information for indirect access by other individual users of the system.

- Individual users of the system have indirect access to search the collective digital information through the system using core system directory structures and file-by-file contents search or through the system using a data index or meta-data index representing the information and optimized for efficient searching. The
- 5 system is designed to identify and rank order individual users of the system as potential information providers and to facilitate the sharing of information between individual users. No user or system administrator shall be able to view this information directly because that would undermine the trust and privacy basis inherent in the system.
- 10 Individual users of the system can specify which digital information objects or collection of objects in the form of directories, connected systems or other repositories are searchable and accessible indirectly by other users of the system. Primary holders or originators of the information can specify access rights and privileges granted to other users. In a brokered sharing scenario, the
- 15 process enables the holder of information who has been identified to another user of the system, by the system, as a likely provider of the information to make the final determination as to whether or not the information is shared.
- Step 91: Check whether any object, such as document, contact or emails in the brokered domain matches the search query.
- 20 Step 92: If the check result in Step 91 is yes, return to the user a list of matching objects, which are based on a central meta-data index of all documents accessible to the system. The results enable the system to present a ranked listing of all other users of the system that appear to be the holders of documents matching the search criteria. The displayed results, specifying the degree of the
- 25 correlation (or "core") and presented in descending order, for example, are the names of the other users of the system that appear to be the most likely able to provide information to accomplish the task.

- Step 93: The user examines the returned results to determine if at least one of the individuals has a sufficiently high correlation score to warrant continuing the process and involving another user in order to complete the task requirement.
- Step 94: The user or knowledge requester (KR) decides whether to involve another user or knowledge owner (KO).
5
- Step 95: If yes, the system forwards the search criteria to the KO.
- Step 96: The system, on behalf of the KR, specifies the specific information objects which matched the search criteria privately to the KO as well as the search criteria originally entered by the KR.
- 10 Step 97: The KO evaluates the KR's request and the system specified information objects to determine relevancy.
- Step 98: The KO decides whether to be involved.
- Step 99: If yes, the KO decides whether the system determined matching information objects are relevant to the task implied by the KR's request (query).
- 15 Step 100: The KO selects one or more most relevant object(s).
- Step 101: Optionally, the KO may add notes, such as comments or instructions concerning the use of the selected object(s).
- Step 102: The KO authorizes to deliver the selected objects attached with his notes.
- 20 Step 103: The KR receives the delivered copies of the information objects and the KO's notes. At the same time, the system generates a message and delivers it to the KO to ask the KO whether this information is of a nature that should be

published so that it will be available to other people with appropriate access privileges through the publishing process. This is same as the situation in Step 66-70 described above.

5 Step 104: Optionally, if in Step 99 the KO thinks that the targeted information objects do not fit the KR's needs, the system may prompt the KO to provide substitution(s) or make a suggestion or provide comments via an instant messaging interface which is part of the KSM's graphical user interface.

Step 105: If the KO is willing to, he may make a suggestion such as selecting a relevant substitution object from his repository and offering to the KR.

10 FIGs. 12-17 are flow diagrams illustrating a variant process from that illustrated in FIGs. 9-11 and comprising a comprehensive, multi-domain system for sharing knowledge objects and tracking utilization among the users of a computer network. The user (KR) initiates a search (401) by selecting a search domain (403, 406 and 410). First, assume that the KR makes a local domain search. The
15 KR is returned the search results, which are all local or private documents, contacts, and emails that match the search criteria (402). The KR examines the results (405) to determine if one or more meet the task requirement (407). If yes, the KR utilizes the individual information objects to complete the task (411). If no, the KR modifies the search criteria and repeats the local search or expands the
20 domains being searched to include the published or brokered domains (409, 406).

When a published domain search is conducted, the KR is returned the results, which are all published documents, contacts, and emails that match the search criteria and can be accessed directly (404). Then, the KR examines the results
25 (408) if one or more meet the task requirement (412). If yes, the KR utilizes the individual information objects to complete the task (413). If no, the KR modifies the search criteria and repeats the published search or expands the domains being searched to include the brokered domain (414).

When a brokered domain search is initiated (415), the system first checks whether access boundaries exist (416). If yes, the system incorporates boundary constraints into the search parameters, such as allowing inbound brokered requests from requestors defined by topic, group, organizational role or level, or requestors on a "white list" such as those who are represented in acknowledge holder's contact/address folder (417). If no access boundaries exist or after step 417, the KR is returned the results which are based on a central meta-data index of all documents accessible to the system (418). The results enable the system to present a prioritized list of the knowledge owners (KOs) that appear to be the holders of documents matching the search criteria. The displayed results, specifying the degree of correlation (or correlation index "score") and presented in descending order, are names of the other users of the system that appear to be the most likely able to provide information to accomplish the task. Then, the KR examines the results to determine if at least one of the other users of the system has a sufficiently high correlation score to warrant continuing the process and involving the other user(s) in order to complete the task requirement (419). Optionally, the system may prompt the KR whether to continue with a request (420). If yes, the KR instructs the system to forward the search criteria to the other user (422). The system, on behalf of the KR, specifies the specific information objects that matched the search criteria privately to the other user (KO) as well as the search criteria originally entered by the KR (423). When the KO receives the request, he needs to decide whether he wants to assist (424). If no, a message is sent to the KR indicating that the system was unable to find any appropriate knowledge object matching the search request (425). No reasoning or disposition is required from the user KO. If the KO wants to help the KR, the KO evaluates that the system generated matching information objects (426) to determine which are the best suited for the task implied by the query input by the KR (427) or if a substitution is required (428). If there exist one or more appropriate results, the KO selects the specific objects that are best suited for the task (429). If no, the KO may substitute other objects (428).

After step 428 or step 429, the KO may be prompted whether he wants to add additional objects (430). If no, the KO marks the request complete (432). If yes, the KO inserts one or more appropriate objects (431). The KR receives the completed request (433) and the system asks the KO if he wants to make the
5 information object(s), which was shared in the preceding process step, directly available to other users and therefore bypassing the brokering process for these objects in subsequent searches (434, 435). If yes, the knowledge object(s) are copied or moved to the central repository (436). This is the equivalent of "publishing" the object(s). Optionally, it will be also decided whether to track
10 metrics (437). For the purpose of rewards-based compensation or other process or individual user performance measures, the system will incrementally tabulate the number of times a user publishes information objects for use by other users and requests information objects from other users (438). Through these measures, the system can aid in the determination of which users are most
15 actively sharing information and also which information objects are most commonly requested.

The invention described above has numerous real-world applications across industries and organizational structures, and can essentially be used any time when people can benefit from sharing knowledge. These include but are not
0 limited to collaboration in the following industries and organizational structures:

- general business (e.g. email-based, owner-brokered document, contact, and file sharing);
- manufacturing (e.g. collaborative design across any distance or spanning companies);
- 5 • software development (e.g. source code sharing, testing, bug tracking, information security);
- scientific research (e.g. research methods or results sharing);

- academic learning (e.g. course material publishing, research results sharing, distance learning);
- military (e.g. intelligence gathering, anti-espionage);
- financial (e.g. research publishing, research data gathering);
- 5 • medical (e.g. clinical trials, patient record/clinical case sharing); and
- community (e.g. contact sharing amongst groups, photo-sharing).

Although the invention is described herein with reference to the preferred embodiment, one skilled in the art will readily appreciate that other applications may be substituted for those set forth herein without departing from the spirit and
10 scope of the present invention.

Accordingly, the invention should only be limited by the Claims included below.

CLAIMS

1. In a computer network that includes at least two computers communicatively coupled to each other, a system for sharing knowledge objects among the registered users of the computer network comprising:

5 a means for maintaining and updating a collection of local or private knowledge objects managed by users, wherein each individual user can access any of the private knowledge objects directly; and

10 a means for maintaining and updating a collection of published knowledge objects contributed by the users, wherein any of the users can access any of the published knowledge objects by entering a unique user identification; and

15 a means for maintaining and updating a collection of listed knowledge objects contributed by the users, wherein any of the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

2. The system of Claim 1, further comprising:

20 a means for changing a local or private knowledge object into a listed knowledge object, wherein said private knowledge object can be neither identified nor accessed by any of the users other than the user who possesses the private knowledge object; and

 a means for publishing a private knowledge object or a listed knowledge object as a published, directly accessible knowledge object.

3. The system of Claim 2, further comprising a means for tracking any of:

the number of times a user discloses a private knowledge object as a listed knowledge object;

5 the number of times a user authorizes other users' access to a listed knowledge object;

the number of times a user publishes knowledge objects;

the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

10 the number of times a user utilizes knowledge objects originating from other users;

wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

4. The system of Claim 1, wherein a user searches for a knowledge object by any of:

15 entering a query; and

navigating one or more directories.

5. In a computer network that includes at least two computers communicatively coupled to each other, a method for sharing knowledge objects among the registered users of the computer network, the method comprising the steps of:

20 maintaining and updating a collection of local or private knowledge objects managed by users, wherein each individual user can access any of the private knowledge objects directly; and

maintaining and updating a collection of published knowledge objects contributed by the users, wherein any of the users can access any of the published knowledge objects by entering a unique user identification; and

5 maintaining and updating a collection of listed knowledge objects contributed by the users, wherein any of the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

6. The method of Claim 5, further comprising the steps of:

10 changing a private knowledge object into a listed knowledge object, wherein said private knowledge object can be neither identified nor accessed by any of the users other than the user who possesses the private knowledge object; and

15 publishing a private knowledge object or a listed knowledge object as a published knowledge object.

7. The method of Claim 6, further comprising any step of:

tracking the number of times a user discloses a private knowledge object as a listed knowledge object;

20 tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating
5 from other users;

wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

8. The method of Claim 5, wherein a user searches for a knowledge object by any of:

10 entering a query; and

navigating one or more directories.

9. In a computer network that includes at least two computers communicatively coupled to each other, a process performed by the computers comprising the steps of:

5 (a) accepting a first user's request;

(b) searching a local or private knowledge object repository, each of the private knowledge objects being associated with a specific user;

(c) searching a central knowledge object repository and all contributed knowledge objects, each of the contributed knowledge objects being associated
0 with a specific user;

(d) returning to the first user a list of links for all matching knowledge objects, said matching knowledge objects being marked either local or published or listed;

5 (e) allowing access if the first user chooses a local or published knowledge object from the list; and

(f) forwarding the first user's request to a second user and prompting the second user for authorization of access if the first user chooses a listed knowledge object from the list, the second user having control of access to the listed knowledge object.

10 10. The process of Claim 9, wherein the first user initiates a request by any of:

entering a query; and

clicking a link in a directory.

11. The process of Claim 9, wherein the second user has the option to be either anonymous or identifiable.

15 12. The process of Claim 9, wherein the step (e) further comprises the step of: prompting the first user to enter a correct user identification.

13. The process of Claim 9, wherein the step (f) further comprises the step of:

20 requiring a sufficiently specific query so that a request cannot be forwarded to the second user until the search request is sufficiently specific so that it yields a finite, manageable set of results.

14. The process of Claim 9, after the step (f), further comprising the step of:

(g) returning to the first user the chosen listed knowledge object if the second user allows access;

(h) notifying the first user that the request is not completed if the second user declines access to the listed knowledge object.

5 15. The process of Claim 14, wherein the step (g) further comprises the step of:

prompting the second user to add a message for the first user.

16. The process of Claim 14, wherein the step (g) further comprises the step of:

prompting the second user to publish the chosen listed knowledge object.

17. The process of Claim 9, wherein the step (f) further comprises the step of:

10 prompting the second user to provide a substitution if the second user determines that the chosen listed knowledge object is irrelevant or sub optimal for the task indicated in the first user's request.

18. The process of Claim 17, further comprising any step of:

15 returning to the first user a private knowledge object from the second user's private domain if the second user so decides; and

prompting the second user to mark the private knowledge object as published.

19. The process of Claim 18, further comprising any step of:

20 tracking the number of times a user discloses a private knowledge object as a listed knowledge object;

tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

5 tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating from other users;

10 wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

20. A computer usable medium containing instructions in computer readable form for carrying out a process for promoting information and knowledge sharing among the users registered to a computer network, the process comprising the steps of:

15 (a) accepting a first user's request;

(b) searching a local or private knowledge object repository and all local, directly accessible knowledge objects associated with a specific user;

(c) searching a central knowledge object repository and all contributed knowledge objects associated with the users;

20 (d) returning to the first user a list of links for all matching knowledge objects, said matching knowledge objects being marked either local or published or listed;

(e) allowing access if the first user chooses a local or published knowledge object from the list; and

5 (f) forwarding the first user's request to a second user and prompting the second user for authorization of access if the first user chooses a listed knowledge object from the list, the second user having control of access to the listed knowledge object.

21. The computer usable medium of Claim 20, wherein the first user initiates a request by any of:

entering a query; and

10 clicking a link in a directory.

22. The computer usable medium of Claim 21, wherein the first user initiates the request either anonymously or identifiably.

23. The computer usable medium of Claim 20, wherein the second user elects to be identified in the system either anonymously or identifiably.

5 24. The computer usable medium of Claim 20, wherein the step (e) further comprises the step of:

prompting the first user to enter a correct user identification.

25. The computer usable medium of Claim 20, after the step (f), further comprising the step of:

0 (g) returning to the first user the chosen listed knowledge object if the second user allows access;

(h) notifying the first user if the second user declines access to the listed knowledge object.

26. The computer usable medium of Claim 25, wherein the step (g) further comprises the step of:

5 prompting the second user to add a message for the first user.

27. The computer usable medium of Claim 15, wherein the step (g) further comprises the step of:

 prompting the second user to publish the chosen listed knowledge object.

28. The computer usable medium of Claim 20, wherein the step (f) further
10 comprises the step of:

 prompting the second user to make a suggestion if the second user thinks that the chosen listed knowledge object is irrelevant to the first user's request.

29. The computer usable medium of Claim 28, further comprising any step of:

 returning to the first user an unlisted knowledge object from the second
15 user's private domain if the second user so decides; and

 prompting the second user to make the unlisted knowledge object as listed or published.

30. The computer usable medium of Claim 29, further comprising any step of:

 tracking the number of times a user discloses a private knowledge object
20 as a listed knowledge object;

tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

5 tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating from other users;

10 wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

1/17




FIG. 1A




FIG. 1B

2/17




FIG. 2A



FIG. 2B

3/17

110





FIG. 3

4/17





FIG. 4

5/17



6/17




FIG. 6

7/17




FIG. 7

8/17




FIG. 8

9/17





FIG. 9

10/17

**FIG. 10**





FIG. 11



13/17




FIG. 13

14/17




FIG. 14

15/17




FIG. 15

16/17




FIG. 16




FIG. 17

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/34021

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 15/16,15/173
 US CL : 709/217,219,225,229

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 709/217,219,225,229

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,E	US 2004/0064704 A1 (RAHMAN) 01 April 2004 (01.04.2004), paragraphs [0029-0032], [0041-0046] and [0066].	1-30
Y,P	US 2003/0200215 A1 (CHEN et al.) 23 October 2003 (23.10.2003), paragraphs [0029-0033] and [0038-0044].	1-30
Y,P	US 2003/0063771 A1 (MORRIS et al.) 03 April 2003 (03.04.2003), paragraphs [0019-0021], [0028-0034] and [0045-0059].	1-30
Y	US 2002/0120757 A1 (SUTHERLAND et al.) 29 August 2002 (29.08.2002), paragraphs [0064-0073] and [0084-0085].	1-30

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

21 June 2004 (21.06.2004)

Date of mailing of the international search report

20 JUL 2004

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, Virginia 22313-1450

Facsimile No. (703) 305-3230

Authorized officer

for Michelle R. Edson
Quang N. Nguyen

Telephone No. (703) 305-8190

INTERNATIONAL SEARCH REPORT

PCT/US03/34021

Continuation of Item 4 of the first sheet:

SYSTEM AND METHOD FOR KNOWLEDGE SHARING AMONG USERS REGISTERED TO A KNOWLEDGE
MANAGEMENT SYSTEM

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2004 (06.05.2004)

PCT

(10) International Publication Number
WO 2004/038564 A3

(51) International Patent Classification⁷: **G06F 15/16**,
15/173

(84) Designated States (*regional*): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(21) International Application Number:
PCT/US2003/034021

Declarations under Rule 4.17:

- as to the identity of the inventor (Rule 4.17(i)) for the following designations AU, CA, JP, European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR)
- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- of inventorship (Rule 4.17(iv)) for US only

(22) International Filing Date: 24 October 2003 (24.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/421,274 25 October 2002 (25.10.2002) US

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(71) Applicant and

(72) Inventor: ANDERSEN, Richard, Park [US/US]; 2204 Gunar Drive, San Jose, CA 95124 (US).


(74) Agent: JEW, Leon, E.; The schinner Law Group, 96 Jessie Street, San Francisco, CA 94105 (US).

(88) Date of publication of the international search report:
2 September 2004

(81) Designated States (*national*): AU, CA, JP, US.

[Continued on next page]

(54) Title: OWNER-BROKERED KNOWLEDGE SHARING MACHINE



(57) Abstract: The invention discloses a Knowledge sharing system (201) and method for promoting information or knowledge sharing among users registered to a computer network by allowing an information or knowledge owner (150) to locate or directly access private information, to publish information for direct access by knowledge requestors (120), or to broker information or knowledge with an information or knowledge requestor (120). This invention also discloses a knowledge sharing system (201) and method which allow an organization to develop and manage a reward system based on the frequency of an information or knowledge owner's contribution to information or knowledge sharing and the frequency of an information or knowledge requestor's use of shared knowledge.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

OWNER-BROKERED KNOWLEDGE SHARING MACHINE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to the U.S. provisional patent application Serial no. 60/421,274 filed on October 25, 2002.

5

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention generally relates to information sharing and management technology. More particularly, the invention relates to a system and method for promoting information or knowledge sharing among users registered to a computer network by allowing an information or knowledge owner to locate or directly access private information, to publish information for direct access by information or knowledge requestors, or to broker information or knowledge with an information or knowledge requestor. This invention also relates to a system and method which allow an organization to develop and manage a reward system based on the frequency of an information or knowledge owner's contribution to information or knowledge sharing and the frequency of an information or knowledge requestor's use of shared knowledge.

2. Related Art

A statement as to the general structure of knowledge sharing and management systems can summarize the problem with such systems today. These systems are generally designed to "manage" knowledge rather than dynamically share it. As such, these systems are often called "knowledge management systems" and are built to manage a body of information that is collected from individuals within a group or organization. In most cases, the group or organization has some shared domain of responsibility or expertise. The management of the knowledge

is generally focused around the central body of information. Software and business processes have been designed to facilitate the posting of information or knowledge objects in digital format to and retrieval from the central body of information, or central knowledge repository. Both the posting and retrieval of information have benefited by the association of descriptive contextual information, or meta-data, about the data stored in such a system. In addition, the security of and appropriate access to the information have benefited from software and business practices designed to manage rules, roles, and access privileges. The use of Internet technologies has enhanced the share-ability of digitized knowledge by collapsing barriers of time and geography.

The premise that brought about these types of centralized knowledge management systems is that some people are knowledge creators (or "knowledge leaders" or "knowledge owners" or "expertise providers") and have information that would be useful one or more times to other potential users ("knowledge seekers" or "knowledge requestors") of the information who could be granted access to the information. I call this the "big bucket approach". As illustrated in FIG. 1A, the big bucket approach assumes that users who voluntarily contribute their knowledge or information content to the big bucket can also retrieve information from the bucket. Essentially, information is obtained either directly or indirectly from the knowledge creators and stored in the central knowledge repository for the knowledge seekers to locate and utilize in the ordinary course of creating work products. The primary objectives for these systems are to have the most relevant and most current information available at all times. A variety of incentive compensation systems have been incorporated along with this approach to encourage the ongoing and continuous population and maintenance of the knowledge repository so that the big bucket is full of imminently locatable, useful information.

Systems utilizing the population and updating of the information en mass ("top down") from central sources such as file servers, Web pages, etc. or individually

by capturing data at the point of origination or utilization ("bottom up"), such as within email systems or in local end-user computer files have been designed.

5 Similar to the Marxist-Leninist social system, which did not work, big bucket information communism doesn't work well either. The problem with systems employing the big bucket approach is that they do not effectively take into account the human bias not to share information outside of the context of a trust-based relationship. The reality with such systems, as illustrated in FIG. 1B, is that the central bucket is empty relative to the actual digital information that is maintained or possessed directly by the knowledge creators. Extending the
10 bucket metaphor, one can say that the reality is that the distributed individual buckets populated and maintained by individual knowledge owners is where the bulk of actual knowledge desired for a sharing system resides.

What is desired is a multi-domain framework that takes into account, facilitates, and maximizes the access and sharing of knowledge within the context of a trust-
15 based relationship.

What is further desired is an incentive mechanism incorporated with the multi-domain framework to encourage the users to share their work products or other knowledge objects in their possession.

What is further desired is a security mechanism incorporated with the multi-
20 domain framework to ensure privacy and to promote knowledge access and sharing within the context of a trust-based relationship.

What is further desired is an instant message platform incorporated with the multi-domain framework to enable a knowledge owner to provide a knowledge requestor with advice, comments, and substitution of requested resource in a
25 real time manner.

SUMMARY OF THE INVENTION

According to the present invention, a multi-domain framework for promoting the sharing of knowledge within a group or organization is provided which overcomes the problems of prior art methods discussed above. The invention encourages
5 knowledge discovery and sharing by creating a system that allows knowledge owners to easily search their own private repositories of information, to publish information for direct access by knowledge seekers or requestors, or to broker information with knowledge seekers or requestors.

The system for sharing knowledge objects among the registered users of the
10 computer network includes a central knowledge repository and a number of distributed knowledge repositories, each of which is associated with a specific user.

The central knowledge object repository is used for maintaining and updating a collection of published knowledge objects contributed by the users. Any of the
15 users can access any of the published knowledge objects directly by entering a unique user identification, so long as appropriate access privileges have been granted.

The central knowledge object repository is also used for maintaining and updating a collection of listed knowledge objects contributed by the users. Any of
20 the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

The collection of listed knowledge objects includes all the listed knowledge
25 objects that exist in all the distributed knowledge repositories.

In the preferred embodiment, the system also includes a mechanism to reward both knowledge-owners and knowledge-requestors for sharing information. This mechanism effectively and for the first time aligns organizational incentives for promoting the sharing and re-use of knowledge with the desire of individuals, based on human nature to manage their digitized personal knowledge closely and to share it within the context of a trust-based relationship.

This invention has numerous real-world applications across industries and organizational structures, and can essentially be used any time people can benefit from sharing knowledge. These include but are not limited to collaboration in the following industries and organizational structures:

- general business (e.g. email-based, owner-brokered document, contact, and file sharing);
- manufacturing (e.g. collaborative design across any distance or spanning companies);
- software development (e.g. source code sharing, testing, bug tracking, information security);
- scientific research (e.g. research methods or results sharing);
- academic learning (e.g. course material publishing, research results sharing, distance learning);
- military (e.g. intelligence gathering, anti-espionage);
- financial (e.g. research publishing, research data gathering);
- medical (e.g. clinical trials, patient record/clinical case sharing); and

- community (e.g. contact sharing amongst groups, photo-sharing).

The foregoing has outlined rather broadly, the more pertinent and important features of the present invention. The detailed description of the invention that follows is offered so that the present contribution to the art can be more fully appreciated.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more succinct understanding of the nature and objects of the present invention, reference should be directed to the following detailed description taken in connection with the accompanying drawings in which:

FIG. 1A and FIG. 1B are schematic diagrams illustrating the prior art approaches;

FIG. 2A and FIG. 2B are schematic diagrams illustrating the solution according to the present invention;

FIG. 3 is a schematic diagram illustrating a network equipped with a knowledge sharing system according to the invention;

FIG. 4 is a block diagram illustrating a local computer environment wherein the knowledge sharing system according to the invention operates;

FIG. 5 is a schematic block diagram illustrating a system for owner-brokered knowledge sharing according to the preferred embodiment of the invention; and

FIG. 6 is a schematic diagram illustrating the relationship between the domain of listed (identifiable but unpublished) knowledge objects and the domain of the published knowledge objects;

FIG. 7 is a flow diagram illustrating a process for accessing published knowledge objects;

FIG. 8 is a flow diagram illustrating a process for owner-brokered knowledge sharing;

5 FIGs. 9-11 are flow diagrams illustrating a multi-domain process for sharing knowledge objects among the users of a computer network; and

FIGs. 12-17 are flow diagrams illustrating a variant process comprising a comprehensive, multi-domain system for sharing knowledge objects and tracking utilization among the users of a computer network.

10

DESCRIPTION OF THE PREFERRED EMBODIMENTS

With reference to the drawings, the present invention will now be described in detail with regard for the best mode and the preferred embodiments. In its most general form, the present invention comprises a program storage medium readable by a computer, tangibly embodying a program of instructions
15 executable by the computer to perform the steps necessary to provide a framework, as it is schematically illustrated in FIG. 2A and FIG. 2B, in which knowledge creators can broker information with knowledge seekers and both the knowledge creators and the knowledge seekers can be rewarded for sharing information.

20 FIG. 3 is a schematic diagram illustrating a network including at least two users who constitute a networked community in which a user can be either a knowledge owner (KO) or a knowledge requestor (KR). A user, such as user 120, communicates with other users, such as user 150, using a software application that supports a graphical interface 110. A server 160 provides the knowledge
25 sharing service over the network 140 such as LAN, WAN or the Internet.

The local computer environment wherein the preferred embodiment of this invention operates, as it is illustrated in FIG. 4, includes a computer platform 121, which includes a hardware unit 122 and an operating system 123. The hardware unit 122 includes at least one central processing unit (CPU) 124, a read only random access memory (usually called ROM) 125 for storing application programs, a write/read random access memory (usually called RAM) 126 available for the application programs' operations, and an input/output (IO) interface 127. Various peripheral components are connected to the computer platform 121, such as a data storage device 128, a terminal 129 and a network connection interface 131 such as Ethernet or Fiber Distributed Data Interface (FDDI). The user uses a browser 131 or a similar application to log on the network. The knowledge sharing application 130, which supports the graphical user interface 110 in FIG. 3, runs on the computer platform 121. Those skilled in the art will readily understand that the invention may be implemented within other systems without fundamental changes.

FIG. 5 is a block diagram illustrating a system 200 for owner-brokered knowledge sharing according to the preferred embodiment of the invention. The system includes at least one knowledge requestor (KR) 120 who initiates a request for information at any time and at least one knowledge owner (KO) 150 who is able to provide information in the form of knowledge objects that are of interest to any KR 120. There is at least one knowledge object 261 associated with each KO 150, which is a unit of analog, digital or digitized information or work product created in the ordinary course of business activity by the KO 150. Both the knowledge owner 150 and the knowledge KR 120 have a distributed knowledge object repository (DKOR), such as DKOR 220 or DKOR 260, which is an individual or personal or private knowledge object repository that stores electronic files, emails, contacts, or other knowledge objects. The distributed knowledge object repository is user-specific. One user cannot access another's knowledge object repository, however, the content in each user's knowledge

object repository is searchable or indexable by a non-human agent such as a software application running on the system.

The system 200 also includes a central knowledge object repository (CKOR) 202, which is a central body of digital information which can be deployed as a software application run on the server 160 (see FIG. 3) or stored in a database or managed through peer-to-peer technology to appear as a central body of information to the users of the system. In the preferred embodiment, the central knowledge object repository (CKOR) 202 is part of the knowledge sharing application, called knowledge sharing machine (KSM) 201.

KSM 201 runs on the server 160 in FIG. 3 or through the virtual combination of connected machines using peer-to-peer technology to appear as a central body of information to the users of the system, and includes the user interface 110, shown in FIG. 3, through which users access information. The KSM 201 manages both the CKOR 202 and the DKORs 220 and 260. A unique characteristic of the KSM 201 is that it maintains the continually updated and current directory or index of the contents of the CKOR 202 and the DKORs 220 and 260, which can be described as the collective body of information. The KSM 201, through its various modules and interfaces, facilitates access to and management of knowledge objects based on the type, classification, or domain of information that is stored.

The system 200 comprises the entirety of the system, including the human and system supported processes defined, as well as the operational, administrative, measuring, rewards tracking, and reporting software components managed by the KSM 201.

FIG. 6 is a schematic diagram illustrating the categorization of the knowledge flowing in the system of FIG. 5. The knowledge is classified "listed" 301 and "published" 302. "Listed" information 301 in this application is defined as knowledge objects (such as documents, emails, contacts, etc.) that are indexed

at either the meta-data or full-text level from within DKORs 220/260. In particular, a listed knowledge object means a knowledge object that is listed in, and known to, the KSM 201 but which has not yet been published to all users of the system. The knowledge objects are owned, or created and updated in the ordinary course of business communications by the KO 150 but they have not been published or approved by the KO 150 for direct access through the KSM 201. Access to listed information 301 is managed through a knowledge brokering process which requires the consent of the KO 150 before knowledge objects visible to the KSM 201 from within the DKOR 260 will be made available for evaluation of or delivery to the KR 120.

"Published knowledge" 302 is defined as information that has been authorized by the KO 150 for direct access through the KSM 201 after either passing through the knowledge brokerage process at all or through direct submission by the KO 150 to the CKOR 202. Published information can be shared on a subscription basis so that subsequent revisions and updates to the information can be automatically delivered to the knowledge KR 120 in the future.

The Correlation Index ("CI"), which is used in the system, is a comparison means to indicate the degree of correlation between a request and a knowledge object as represented by the objects data or the data about the object (meta-data). In the case of published information 302, the correlation can be as high as 100% because the information is available to the knowledge requestor 120 directly from the CKOR 202 without human broker interaction. In the case of listed information 301, because the CKOR 202 is a system and not a person, the KSM 201 can identify a very high CI between the request and the result but will not show a 100% correlation. The KO 150, which is the human broker of listed information 301, must be the ultimate determinant of correlation.

The system 200 also includes a comparison measure, referred to as a Relationship Index ("RI"), which is a measure of the strength of a relationship as defined by aggregate interactions (phone, email, meetings) between one person

and another. This can be applied to data that is sought by a KR 120. For example, contact data for a sales prospect may reside in more than one DKOR and the KR 120 may want to identify the person within the organization with the strongest relationship with the prospect, in order to obtain the most complete understanding of the prospect's interaction history the organization. This can also be applied to the trust-based relationship that can develop within the KSM 201 between a KR 120 and a KO 150 by measuring searches and approved retrievals of information over time.

The system 200 also includes a knowledge sharing reward tracking module, which is used to track the number of requests for, and the subsequent delivery of, listed or published information from the KO 150 to the KR 120 through the knowledge brokering process or through the automated publishing process. In particular, the tracking module may be configured to track: the number of times that a user discloses a private knowledge object from his private domain to the domain of listed but unpublished knowledge objects; the number of times that a user authorizes other users' access to an unpublished knowledge object; the number of times that a user publishes a knowledge object, either from his private domain or from the unpublished domain, to the published domain; the number of times that a published knowledge object is used by the users other than the user who contributed the published knowledge object; and the number of times that a user requests and uses the knowledge objects originated from other users. The tracked information will be used within a compensation system to reward users, such as employees, for sharing knowledge.

FIG. 7 is a flow diagram illustrating a process for accessing published knowledge objects according to the preferred embodiment. The method includes, but is not limited to, the following human or system supported steps:

Step 51: A knowledge requestor (KR) initiates a search request for information, which could be an outline, a brief, a sample letter, a report, an email,

or even a person's contact information including a history of interactions with a contact.

Step 52: Upon receipt of the request, the knowledge sharing machine (KSM) compares the request against the information stored in the CKOR and the
5 DKORs.

Step 53: The KSM returns a set of relevant results, which is one or more results that are correlated with the request, to the KR in a ranked form showing the highest level of correlation between the request and the result set, including both published and listed information (knowledge objects). In the preferred
10 embodiment, a correlation ranking indicator is associated with each returned result so that the user can identify the most relevant result conveniently and accurately.

Step 54: The KR evaluates the result set and determines if any information returned by the KSM is in the published domain.

15 Step 55: IF the KR decides to obtain the published information, THEN the KR can access the information directly from the CKOR through the KSM so long as the person has appropriate access privileges (departmental, title/ role/ responsibility, etc.).

Step 56: ELSE IF a piece of listed information is sought by the KR, THEN
20 the KR must access the information from the KO through the knowledge brokering process as illustrated in FIG. 8.

FIG. 8 is a flow diagram illustrating a knowledge brokering process, which comprises the steps of:

Step 61: Via the software user interface, the KR instructs the KSM to send
25 the request along with the associated (by the KSM) individual knowledge object

result or results from the result set to the KO. The request includes the statement that the KR is looking for a knowledge object from the domain of the listed information and that the KSM has determined that a knowledge object in the KO's DKOR has a specified correlation or likelihood of being the information sought. In the preferred embodiment, the request is a message automatically generated by the system in response to the KR's command, such as a single click, to send the request to a KO. Also, in the preferred embodiment, the system can be configured so that a request cannot be forwarded to a KO until the search request is sufficiently specific so that it yields a finite, manageable set of results.

Step 62: The KO receives and evaluates the request and the result set from the KSM.

Step 63: The KO decides whether to share the information or not.

Step 64: IF the KO does not agree to share the information with the KR, THEN the KSM sends the KR a notice stating, for example, "Sorry! Your request cannot be completed". Since the KSM is a machine and does not specify a 100% correlation, the end result and non-delivery of information could be interpreted to mean that the KO simply did not have the information that the KSM thought it did.

Step 65: IF the KO agrees to share the information with the KR, then the KSM delivers the information to the KR over the network.

Step 66: Optionally, the KSM generates a message and delivers it to the KO to ask the KO whether this information is of a nature that should be published so that it will be available to other people with appropriate access privileges through the publishing process.

Step 67: The KO makes a decision on the KSM's prompt message.

Step 68: IF the KO declines to publish, THEN returns the KSM with a "NO" message and the information is not published. In other words, although the KO agrees to share it with this specific KR in this specific time, the KO still wants to maintain his privilege to decline the next KR's request.

- 5 Step 69: IF the KO agrees to publish, THEN returns the KSM with a "YES" message and the KSM publishes the information in the published domain.

10 In all cases where the knowledge sharing reward tracking module 70 is enabled, the KSM tracks the number of requests for and subsequent delivery of listed or published information from the KO to the KR through the knowledge brokering process or through the automated publishing process. The tracked information will be used within a compensation system to reward members of the system for sharing knowledge.

15 Note that the comparison matching for data about items, events, or ideas (Correlation Index) and the comparison matching for people or contacts (Relationship Index) use the best available techniques such as context-based matching, neural networks, Bayesian classification, linear and non-linear classification, keyword matching, etc.

In the event that KO wants to remain anonymous, he can simply set the option by selecting from a dropdown list or clicking an icon.

- 20 FIGs. 9-11 are flow diagrams illustrating a multi-domain process for a user using the KSM system described above. Assuming the user has configured the KSM to index all of his local files, e-mails and contacts on his computer, the process includes the following steps:

25 Step 81: Initiate a search. In order to complete a task, the user who is associated with the network initiates a search for information in a local client application interface of the KSM system by specifying and entering a keyword

search criteria or a more advanced single field/value or multi-filed/values search criteria.

The graphical user interface of the KSM provides a number of search options, each of which is represented by a virtual button or other kind of icon. For
5 example, the user may select "local domain search", "published domain search", "brokered domain search", or "search entire domains".

Step 82: If the local domain is specified, search the local domain.

For each user of the system, the local domain includes the user's digital
10 information objects in the form of files, emails, contact records, and other digital representation of information, whether on a local machine or elsewhere on the network. The user has direct access to search the information through the system using core operating system directory structures and file-by-file contents search or through the system using a data index or meta-data system index
15 representing the information and optimized for efficient searching. Note that the user can specify which digital information objects or collections of objects in the form of directories, connected systems, or other repositories that are searchable.

Step 83: Check whether any object, such as a document, contact or email, matches the search query.

Step 84: If the check result in Step 83 is yes, return to the user a list of
20 matching objects.

Step 85: The user examines the returned results and decides whether or not to further search the published domain or the brokered domain.

Step 86: If the check result in Step 83 is no, prompt the user to revise the query.

Step 87: If the user decides to revise the query, repeat Step 81.

Step 88: If the user does not want to revise the query, prompt the user to further search the published domain or the brokered domain.

Step 89: Search the published domain if the user chooses so and continue
5 on Step 83.

For each user of the system, the published domain includes the collective digital information objects in the form of files, emails, contact records and other digital representations of information, whether on local machines or on the network, which have been made available by the primary holders or originators of the
10 information for direct access by other individual users of the system. Individual users of the system have direct access to search the collective digital information through the system using core operating system directory structures and file-by-file contents search or through the system using a data index or meta-data index representing the information and optimized for efficient searching. Individual
15 users of the system can specify which digital information objects or collections of objects in the form of directories, connected systems or other repositories are searchable and accessible directly by other users of the system. Primary holders of the information can specify access rights and privileges granted to other users.

Step 90: Search the brokered domain if the user chooses so and continue
20 on Step 91 in FIG. 9.

For each user of the system, the brokered domain includes the collective digital information objects in the form of files, emails, contact records and other digital representations of information, whether on local machines or on the network, which have been made available by the primary holders or originators of the
25 information for indirect access by other individual users of the system.

Individual users of the system have indirect access to search the collective digital information through the system using core system directory structures and file-by-file contents search or through the system using a data index or meta-data index representing the information and optimized for efficient searching. The system is designed to identify and rank order individual users of the system as potential information providers and to facilitate the sharing of information between individual users. No user or system administrator shall be able to view this information directly because that would undermine the trust and privacy basis inherent in the system.

- 10 Individual users of the system can specify which digital information objects or collection of objects in the form of directories, connected systems or other repositories are searchable and accessible indirectly by other users of the system. Primary holders or originators of the information can specify access rights and privileges granted to other users. In a brokered sharing scenario, the process enables the holder of information who has been identified to another user of the system, by the system, as a likely provider of the information to make the final determination as to whether or not the information is shared.

Step 91: Check whether any object, such as document, contact or emails in the brokered domain matches the search query.

- 20 Step 92: If the check result in Step 91 is yes, return to the user a list of matching objects, which are based on a central meta-data index of all documents accessible to the system. The results enable the system to present a ranked listing of all other users of the system that appear to be the holders of documents matching the search criteria. The displayed results, specifying the degree of the correlation (or "core") and presented in descending order, for example, are the names of the other users of the system that appear to be the most likely able to provide information to accomplish the task.

Step 93: The user examines the returned results to determine if at least one of the individuals has a sufficiently high correlation score to warrant continuing the process and involving another user in order to complete the task requirement.

Step 94: The user or knowledge requester (KR) decides whether to involve
5 another user or knowledge owner (KO).

Step 95: If yes, the system forwards the search criteria to the KO.

Step 96: The system, on behalf of the KR, specifies the specific information objects which matched the search criteria privately to the KO as well as the search criteria originally entered by the KR.

10 Step 97: The KO evaluates the KR's request and the system specified information objects to determine relevancy.

Step 98: The KO decides whether to be involved.

Step 99: If yes, the KO decides whether the system determined matching information objects are relevant to the task implied by the KR's request (query).

15 Step 100: The KO selects one or more most relevant object(s).

Step 101: Optionally, the KO may add notes, such as comments or instructions concerning the use of the selected object(s).

Step 102: The KO authorizes to deliver the selected objects attached with his notes.

20 Step 103: The KR receives the delivered copies of the information objects and the KO's notes. At the same time, the system generates a message and delivers it to the KO to ask the KO whether this information is of a nature that should be

published so that it will be available to other people with appropriate access privileges through the publishing process. This is same as the situation in Step 66-70 described above.

5 Step 104: Optionally, if in Step 99 the KO thinks that the targeted information objects do not fit the KR's needs, the system may prompt the KO to provide substitution(s) or make a suggestion or provide comments via an instant messaging interface which is part of the KSM's graphical user interface.

Step 105: If the KO is willing to, he may make a suggestion such as selecting a relevant substitution object from his repository and offering to the KR.

10 FIGs. 12-17 are flow diagrams illustrating a variant process from that illustrated in FIGs. 9-11 and comprising a comprehensive, multi-domain system for sharing knowledge objects and tracking utilization among the users of a computer network. The user (KR) initiates a search (401) by selecting a search domain (403, 406 and 410). First, assume that the KR makes a local domain search. The
15 KR is returned the search results, which are all local or private documents, contacts, and emails that match the search criteria (402). The KR examines the results (405) to determine if one or more meet the task requirement (407). If yes, the KR utilizes the individual information objects to complete the task (411). If no, the KR modifies the search criteria and repeats the local search or expands the
20 domains being searched to include the published or brokered domains (409, 406).

When a published domain search is conducted, the KR is returned the results, which are all published documents, contacts, and emails that match the search criteria and can be accessed directly (404). Then, the KR examines the results
25 (408) if one or more meet the task requirement (412). If yes, the KR utilizes the individual information objects to complete the task (413). If no, the KR modifies the search criteria and repeats the published search or expands the domains being searched to include the brokered domain (414).

When a brokered domain search is initiated (415), the system first checks whether access boundaries exists (416). If yes, the system incorporates boundary constraints into the search parameters, such as allowing inbound brokered requests from requestors defined by topic, group, organizational role or level, or requestors on a "white list" such as those who are represented in acknowledge holder's contact/address folder (417). If no access boundaries exist or after step 417, the KR is returned the results which are based on a central meta-data index of all documents accessible to the system (418). The results enable the system to present a prioritized list of the knowledge owners (KOs) that appear to be the holders of documents matching the search criteria. The displayed results, specifying the degree of correlation (or correlation index "score") and presented in descending order, are names of the other users of the system that appear to be the most likely able to provide information to accomplish the task. Then, the KR examines the results to determine if at least one of the other users of the system has a sufficiently high correlation score to warrant continuing the process and involving the other user(s) in order to complete the task requirement (419). Optionally, the system may prompt the KR whether to continue with a request (420). If yes, the KR instructs the system to forward the search criteria to the other user (422). The system, on behalf of the KR, specifies the specific information objects that matched the search criteria privately to the other user (KO) as well as the search criteria originally entered by the KR (423). When the KO receives the request, he needs to decide whether he wants to assist (424). If no, a message is sent to the KR indicating that the system was unable to find any appropriate knowledge object matching the search request (425). No reasoning or disposition is required from the user KO. If the KO wants to help the KR, the KO evaluates that the system generated matching information objects (426) to determine which are the best suited for the task implied by the query input by the KR (427) or if a substitution is required (428). If there exist one or more appropriate results, the KO selects the specific objects that are best suited for the task (429). If no, the KO may substitute other objects (428).

After step 428 or step 429, the KO may be prompted whether he wants to add additional objects (430). If no, the KO marks the request complete (432). If yes, the KO inserts one or more appropriate objects (431). The KR receives the completed request (433) and the system asks the KO if he wants to make the information object(s), which was shared in the preceding process step, directly available to other users and therefore bypassing the brokering process for these objects in subsequent searches (434, 435). If yes, the knowledge object(s) are copied or moved to the central repository (436). This is the equivalent of "publishing" the object(s). Optionally, it will be also decided whether to track metrics (437). For the purpose of rewards-based compensation or other process or individual user performance measures, the system will incrementally tabulate the number of times a user publishes information objects for use by other users and requests information objects from other users (438). Through these measures, the system can aid in the determination of which users are most actively sharing information and also which information objects are most commonly requested.

The invention described above has numerous real-world applications across industries and organizational structures, and can essentially be used any time when people can benefit from sharing knowledge. These include but are not limited to collaboration in the following industries and organizational structures:

- general business (e.g. email-based, owner-brokered document, contact, and file sharing);
- manufacturing (e.g. collaborative design across any distance or spanning companies);
- software development (e.g. source code sharing, testing, bug tracking, information security);
- scientific research (e.g. research methods or results sharing);

- academic learning (e.g. course material publishing, research results sharing, distance learning);
- military (e.g. intelligence gathering, anti-espionage);
- financial (e.g. research publishing, research data gathering);
- 5 • medical (e.g. clinical trials, patient record/clinical case sharing); and
- community (e.g. contact sharing amongst groups, photo-sharing).

Although the invention is described herein with reference to the preferred embodiment, one skilled in the art will readily appreciate that other applications may be substituted for those set forth herein without departing from the spirit and
10 scope of the present invention.

Accordingly, the invention should only be limited by the Claims included below.

CLAIMS

1. In a computer network that includes at least two computers communicatively coupled to each other, a system for sharing knowledge objects among the registered users of the computer network comprising:

5 a means for maintaining and updating a collection of local or private knowledge objects managed by users, wherein each individual user can access any of the private knowledge objects directly; and

 a means for maintaining and updating a collection of published knowledge objects contributed by the users, wherein any of the users can access any of the
10 published knowledge objects by entering a unique user identification; and

 a means for maintaining and updating a collection of listed knowledge objects contributed by the users, wherein any of the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed
15 knowledge object authorizes the proposed access.

2. The system of Claim 1, further comprising:

 a means for changing a local or private knowledge object into a listed knowledge object, wherein said private knowledge object can be neither identified nor accessed by any of the users other than the user who possesses
20 the private knowledge object; and

 a means for publishing a private knowledge object or a listed knowledge object as a published, directly accessible knowledge object.

3. The system of Claim 2, further comprising a means for tracking any of:

the number of times a user discloses a private knowledge object as a listed knowledge object;

5 the number of times a user authorizes other users' access to a listed knowledge object;

the number of times a user publishes knowledge objects;

the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

10 the number of times a user utilizes knowledge objects originating from other users;

wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

4. The system of Claim 1, wherein a user searches for a knowledge object by any of:

15 entering a query; and

navigating one or more directories.

5. In a computer network that includes at least two computers communicatively coupled to each other, a method for sharing knowledge objects among the registered users of the computer network, the method comprising the steps of:

20 maintaining and updating a collection of local or private knowledge objects managed by users, wherein each individual user can access any of the private knowledge objects directly; and

maintaining and updating a collection of published knowledge objects contributed by the users, wherein any of the users can access any of the published knowledge objects by entering a unique user identification; and

5 maintaining and updating a collection of listed knowledge objects contributed by the users, wherein any of the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

6. The method of Claim 5, further comprising the steps of:

10 changing a private knowledge object into a listed knowledge object, wherein said private knowledge object can be neither identified nor accessed by any of the users other than the user who possesses the private knowledge object; and

15 publishing a private knowledge object or a listed knowledge object as a published knowledge object.

7. The method of Claim 6, further comprising any step of:

tracking the number of times a user discloses a private knowledge object as a listed knowledge object;

20 tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating
5 from other users;

wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

8. The method of Claim 5, wherein a user searches for a knowledge object by any of:

10 entering a query; and

navigating one or more directories.

9. In a computer network that includes at least two computers communicatively coupled to each other, a process performed by the computers comprising the steps of:

5 (a) accepting a first user's request;

(b) searching a local or private knowledge object repository, each of the private knowledge objects being associated with a specific user;

(c) searching a central knowledge object repository and all contributed knowledge objects, each of the contributed knowledge objects being associated
0 with a specific user;

(d) returning to the first user a list of links for all matching knowledge objects, said matching knowledge objects being marked either local or published or listed;

5 (e) allowing access if the first user chooses a local or published knowledge object from the list; and

(f) forwarding the first user's request to a second user and prompting the second user for authorization of access if the first user chooses a listed knowledge object from the list, the second user having control of access to the listed knowledge object.

10 10. The process of Claim 9, wherein the first user initiates a request by any of:

entering a query; and

clicking a link in a directory.

11. The process of Claim 9, wherein the second user has the option to be either anonymous or identifiable.

15 12. The process of Claim 9, wherein the step (e) further comprises the step of: prompting the first user to enter a correct user identification.

13. The process of Claim 9, wherein the step (f) further comprises the step of:

20 requiring a sufficiently specific query so that a request cannot be forwarded to the second user until the search request is sufficiently specific so that it yields a finite, manageable set of results.

14. The process of Claim 9, after the step (f), further comprising the step of:

(g) returning to the first user the chosen listed knowledge object if the second user allows access;

(h) notifying the first user that the request is not completed if the second user declines access to the listed knowledge object.

5 15. The process of Claim 14, wherein the step (g) further comprises the step of:

prompting the second user to add a message for the first user.

16. The process of Claim 14, wherein the step (g) further comprises the step of:

prompting the second user to publish the chosen listed knowledge object.

17. The process of Claim 9, wherein the step (f) further comprises the step of:

10 prompting the second user to provide a substitution if the second user determines that the chosen listed knowledge object is irrelevant or sub optimal for the task indicated in the first user's request.

18. The process of Claim 17, further comprising any step of:

15 returning to the first user a private knowledge object from the second user's private domain if the second user so decides; and

prompting the second user to mark the private knowledge object as published.

19. The process of Claim 18, further comprising any step of:

20 tracking the number of times a user discloses a private knowledge object as a listed knowledge object;

tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

5 tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating from other users;

10 wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

20. A computer usable medium containing instructions in computer readable form for carrying out a process for promoting information and knowledge sharing among the users registered to a computer network, the process comprising the steps of:

15 (a) accepting a first user's request;

(b) searching a local or private knowledge object repository and all local, directly accessible knowledge objects associated with a specific user;

(c) searching a central knowledge object repository and all contributed knowledge objects associated with the users;

20 (d) returning to the first user a list of links for all matching knowledge objects, said matching knowledge objects being marked either local or published or listed;

(e) allowing access if the first user chooses a local or published knowledge object from the list; and

(f) forwarding the first user's request to a second user and prompting the second user for authorization of access if the first user chooses a listed
5 knowledge object from the list, the second user having control of access to the listed knowledge object.

21. The computer usable medium of Claim 20, wherein the first user initiates a request by any of:

entering a query; and

10 clicking a link in a directory.

22. The computer usable medium of Claim 21, wherein the first user initiates the request either anonymously or identifiably.

23. The computer usable medium of Claim 20, wherein the second user elects to be identified in the system either anonymously or identifiably.

5 24. The computer usable medium of Claim 20, wherein the step (e) further comprises the step of:

prompting the first user to enter a correct user identification.

25. The computer usable medium of Claim 20, after the step (f), further comprising the step of:

0 (g) returning to the first user the chosen listed knowledge object if the second user allows access;

(h) notifying the first user if the second user declines access to the listed knowledge object.

26. The computer usable medium of Claim 25, wherein the step (g) further comprises the step of:

5 prompting the second user to add a message for the first user.

27. The computer usable medium of Claim 15, wherein the step (g) further comprises the step of:

 prompting the second user to publish the chosen listed knowledge object.

28. The computer usable medium of Claim 20, wherein the step (f) further
10 comprises the step of:

 prompting the second user to make a suggestion if the second user thinks that the chosen listed knowledge object is irrelevant to the first user's request.

29. The computer usable medium of Claim 28, further comprising any step of:

 returning to the first user an unlisted knowledge object from the second
15 user's private domain if the second user so decides; and

 prompting the second user to make the unlisted knowledge object as listed or published.

30. The computer usable medium of Claim 29, further comprising any step of:

 tracking the number of times a user discloses a private knowledge object
20 as a listed knowledge object;

tracking the number of times a user authorizes other users' access to a listed knowledge object;

tracking the number of times a user publishes knowledge objects;

5 tracking the number of times a published knowledge object is utilized by the users other than the user who contributed the published knowledge object; and

tracking the number of times a user utilizes knowledge objects originating from other users;

10 wherein said numbers are used in determining a reward to the user for the user's involvement in knowledge sharing.

1/17




FIG. 1A




FIG. 1B

2/17




FIG. 2A




FIG. 2B

3/17

110







FIG. 3

4/17

**FIG. 4**

5/17



6/17




FIG. 6

7/17




FIG. 7

8/17




FIG. 8

9/17







FIG. 9

10/17

**FIG. 10**





13/17




FIG. 13

14/17




FIG. 14

15/17




FIG. 15

16/17





FIG. 16



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/34021

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 15/16,15/173

US CL : 709/217,219,225,229

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 709/217,219,225,229

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,E	US 2004/0064704 A1 (RAHMAN) 01 April 2004 (01.04.2004), paragraphs [0029-0032], [0041-0046] and [0066].	1-30
Y,P	US 2003/0200215 A1 (CHEN et al.) 23 October 2003 (23.10.2003), paragraphs [0029-0033] and [0038-0044].	1-30
Y,P	US 2003/0063771 A1 (MORRIS et al.) 03 April 2003 (03.04.2003), paragraphs [0019-0021], [0028-0034] and [0045-0059].	1-30
Y	US 2002/0120757 A1 (SUTHERLAND et al.) 29 August 2002 (29.08.2002), paragraphs [0064-0073] and [0084-0085].	1-30



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"B" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

21 June 2004 (21.06.2004)

Date of mailing of the international search report

20 JUL 2004

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 Facsimile No. (703) 305-3230

Authorized officer

Quang N. Nguyen

Telephone No. (703) 305-8190

INTERNATIONAL SEARCH REPORT

PCT/US03/34021

Continuation of Item 4 of the first sheet:
SYSTEM AND METHOD FOR KNOWLEDGE SHARING AMONG USERS REGISTERED TO A KNOWLEDGE
MANAGEMENT SYSTEM

REC'D PCT/PTC 30 DEC 2004

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

REC'D 13 SEP 2004

WIPO

PCT

Applicant's or agent's file reference ANDE0001		FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US03/34021	International filing date (day/month/year) 24 October 2003 (24.10.2003)	Priority date (day/month/year) 25 October 2002 (25.10.2002)	
International Patent Classification (IPC) or national classification and IPC IPC(7): G06F 15/16, 15/173 and US Cl.: 709/217, 219, 225, 229			
Applicant ANDERSEN, RICHARD P.			
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of <u>3</u> sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of <u> </u> sheets.</p> <p>3. This report contains indications relating to the following items:</p> <p>I <input checked="" type="checkbox"/> Basis of the report</p> <p>II <input type="checkbox"/> Priority</p> <p>III <input type="checkbox"/> Non-establishment of report with regard to novelty, inventive step and industrial applicability</p> <p>IV <input type="checkbox"/> Lack of unity of invention</p> <p>V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</p> <p>VI <input type="checkbox"/> Certain documents cited</p> <p>VII <input type="checkbox"/> Certain defects in the international application</p> <p>VIII <input type="checkbox"/> Certain observations on the international application</p>			
Date of submission of the demand 06 July 2004 (06.07.2004)		Date of completion of this report 31 August 2004 (31.08.2004)	
Name and mailing address of the IPEA/US Mail Stop PCT, Attn: IPEA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230		Authorized officer <i>Michelle R. Davis</i> <i>Quang N. Nguyen</i> Telephone No. (703) 305-8190	

EPO-DG 1

15. 10. 2004

(37)

Form PCT/IPEA/409 (cover sheet)(July 1998)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US03/34021

I. Basis of the report

1. With regard to the elements of the international application:*

- ☒ the international application as originally filed.
- ☒ the description:
pages 1-22 as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____
- ☒ the claims:
pages 23-32 as originally filed
pages NONE, as amended (together with any statement) under Article 19
pages NONE, filed with the demand
pages NONE, filed with the letter of _____
- ☒ the drawings:
pages 1-17 as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____
- ☐ the sequence listing part of the description:
pages NONE, as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____

2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language _____ which is:

- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in printed form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. ☒ The amendments have resulted in the cancellation of:

- ☒ the description, pages None
- ☒ the claims, Nos. None
- ☒ the drawings, sheets/fig None

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.
PCT/US03/34021

V. Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. STATEMENT

Novelty (N)	Claims 1-30	YES
	Claims NONE	NO
Inventive Step (IS)	Claims 1-30	YES
	Claims NONE	NO
Industrial Applicability (IA)	Claims 1-30	YES
	Claims NONE	NO

2. CITATIONS AND EXPLANATIONS

Claims 1-30 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest a system and method for sharing knowledge objects among the registered users of the computer network comprising a means for maintaining and updating a collection of local and private knowledge objects managed by users, wherein each user can access any of the private knowledge objects directly; and a means for maintaining and updating a collection of published knowledge objects contributed by the users, wherein any of the users can access any of the published knowledge objects by entering a unique user identification; and a means for maintaining and updating a collection of listed knowledge objects contributed by the users, wherein any of the listed knowledge objects can be identified but cannot be accessed by any of the users other than the user who contributed the listed knowledge object unless the user who contributed the listed knowledge object authorizes the proposed access.

No negative opinion has been given because the search report relies on "P" references.

Claims 1-30 meet the criteria set out in PCT Article 33(4), and thus have industrial applicability because the subject matter claimed can be made or used in the industry.